




5 x 2.5 mm

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r_3	5 mm
LARGHEZZA RAGGIO C	0.6 mm
LARGHEZZA DENTE CORONA B_1	2.3 mm

CATENA


PASSO	5 mm
LARGHEZZA INTERNA	2.5 mm
RULLO Ø	3.2 mm

CORONE

S				S			
Z	d_e	d_p	D_1	Z	d_e	d_p	D_1
8	15.2	13.06	4	44	72.2	70.09	8
9	16.8	14.62	4	45	73.8	71.68	8
10	18.3	16.18	4	46	75.4	73.27	8
11	19.9	17.75	5	47	77.0	74.86	8
12	21.5	19.32	5	48	78.6	76.45	8
13	23.0	20.89	5	49	80.2	78.03	8
14	24.6	22.47	5	50	81.8	79.63	8
15	26.2	24.04	5	51	83.4	81.22	10
16	27.8	25.63	6	52	85.0	82.81	10
17	29.4	27.20	6	53	86.6	84.40	10
18	30.9	28.79	6	54	88.1	85.97	10
19	32.5	30.38	6	55	89.7	87.58	10
20	34.1	31.96	6	56	91.3	89.17	10
21	35.7	33.54	8	57	92.9	90.76	10
22	37.3	35.13	8	58	94.5	92.35	10
23	38.9	36.72	8	59	96.1	93.94	10
24	40.5	38.30	8	60	97.7	95.53	10
25	42.0	39.89	8	62	100.9	98.72	12
26	43.6	41.48	8	64	104.1	101.90	12
27	45.2	43.07	8	65	105.6	103.49	12
28	46.8	44.65	8	66	107.2	105.08	12
29	48.4	46.25	8	68	110.4	108.26	12
30	50.0	47.83	8	70	113.6	111.44	12
31	51.6	49.42	8	72	116.8	114.63	12
32	53.2	51.01	8	75	121.6	119.40	12
33	54.8	52.60	8	76	123.1	120.99	12
34	56.3	54.19	8	78	126.3	124.17	12
35	57.9	55.78	8	80	129.5	127.35	12
36	59.5	57.37	8	85	137.5	135.31	14
37	61.1	58.96	8	90	145.4	143.27	14
38	62.7	60.54	8	95	153.4	151.22	14
39	64.3	62.13	8	100	161.3	159.18	14
40	65.9	63.73	8	110	177.2	175.09	14
41	67.5	65.31	8	114	183.6	181.46	14
42	69.1	66.91	8	120	193.2	191.01	14
43	70.6	68.49	8	125	201.1	198.96	14

6 x 2.8 mm

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r_3	6 mm
LARGHEZZA RAGGIO C	0.7 mm
LARGHEZZA DENTE CORONA B_1	2.6 mm

CATENA

PASSO	6 mm
LARGHEZZA INTERNA	2.8 mm
RULLO Ø	4 mm


CORONE

S				S			
Z	d_e	d_p	D_1	Z	d_e	d_p	D_1
8	18.0	15.67	5	44	86.6	84.10	10
9	19.9	17.54	5	45	88.5	86.01	10
10	21.7	19.42	6	46	90.4	87.92	10
11	23.6	21.30	6	47	92.3	89.93	10
12	25.4	23.18	6	48	94.2	91.74	10
13	27.3	25.05	8	49	96.1	93.64	10
14	29.2	26.96	8	50	98.0	95.55	10
15	31.0	28.86	8	51	99.9	97.46	12
16	33.0	30.76	8	52	101.8	99.37	12
17	35.0	32.65	8	53	103.7	101.27	12
18	36.9	34.55	8	54	105.6	103.17	12
19	38.8	36.44	8	55	107.6	105.08	12
20	40.7	38.34	8	56	109.5	107.00	12
21	42.6	40.25	8	57	111.4	108.93	12
22	44.5	42.16	8	58	113.3	110.82	12
23	46.4	44.06	8	59	115.2	112.71	12
24	48.3	45.96	8	60	117.1	114.62	12
25	50.2	47.87	8	62	120.9	118.45	14
26	52.1	49.76	8	64	124.7	122.27	14
27	54.0	51.67	8	65	126.6	124.18	14
28	55.9	53.58	8	66	128.5	126.09	14
29	57.8	55.50	8	68	132.4	129.91	14
30	59.8	57.42	8	70	136.2	133.73	14
31	61.7	59.31	8	72	140.0	137.55	16
32	63.6	61.21	8	75	145.7	143.28	16
33	65.5	63.11	8	76	147.6	145.19	16
34	67.4	65.02	8	78	151.5	149.01	16
35	69.3	66.93	8	80	155.3	152.82	16
36	71.2	68.84	8	85	164.8	162.37	16
37	73.1	70.75	8	90	174.4	171.92	16
38	75.0	72.66	8	95	183.9	181.47	16
39	76.9	74.57	8	100	193.5	191.01	16
40	78.9	76.47	8	110	212.6	210.11	16
41	80.8	78.38	10	114	220.2	217.75	16
42	82.7	80.28	10	120	231.7	229.20	16
43	84.7	82.19	10	125	241.2	238.75	16



1/4" x 1/8"

per catene a rulli secondo
DIN 8188 - ASA 25 - ISO/R 606 - ANSI B 29.1



CORONA

RAGGIO DENTE r_3	6.4 mm
LARGHEZZA RAGGIO C	0.7 mm
LARGHEZZA DENTE CORONA B_1	2.9 mm

CATENA


PASSO	6.35 mm
LARGHEZZA INTERNA	3.18 mm
RULLO \emptyset	3.3 mm

CORONE

S				S			
Z	d_e	d_p	D_1	Z	d_e	d_p	D_1
8	19.4	16.58	6	44	91.8	89.01	10
9	21.4	18.56	6	45	93.8	91.03	10
10	23.3	20.55	6	46	95.8	93.05	10
11	25.3	22.54	8	47	97.9	95.07	10
12	27.3	24.53	8	48	99.9	97.09	10
13	29.3	26.53	8	49	101.9	99.10	10
14	31.3	28.53	8	50	103.9	101.13	10
15	33.3	30.53	8	51	105.9	103.14	12
16	35.3	32.55	8	52	108.0	105.16	12
17	37.3	34.55	8	53	110.0	107.18	12
18	39.4	36.56	8	54	112.0	109.18	12
19	41.4	38.58	8	55	114.0	111.23	12
20	43.4	40.58	8	56	116.0	113.25	12
21	45.4	42.60	8	57	118.1	115.27	12
22	47.4	44.62	8	58	120.1	117.29	12
23	49.4	46.63	8	59	122.1	119.31	12
24	51.4	48.64	8	60	124.1	121.32	12
25	53.5	50.66	8	62	128.2	125.37	12
26	55.5	52.67	8	64	132.2	129.41	12
27	57.5	54.69	8	65	134.2	131.43	12
28	59.5	56.71	8	66	136.2	133.45	14
29	61.5	58.73	8	68	140.3	137.49	14
30	63.6	60.75	8	70	144.3	141.53	14
31	65.6	62.76	10	72	148.4	145.58	14
32	67.6	64.78	10	75	154.4	151.63	14
33	69.6	66.80	10	76	156.5	153.66	14
34	71.6	68.82	10	78	160.5	157.70	16
35	73.6	70.84	10	80	164.5	161.74	16
36	75.6	72.85	10	85	174.6	171.85	16
37	77.7	74.87	10	90	184.7	181.95	16
38	79.7	76.89	10	95	194.8	192.05	16
39	81.7	78.91	10	100	204.9	202.15	16
40	83.7	80.93	10	110	225.1	222.37	16
41	85.7	82.95	10	114	233.2	230.45	16
42	87.8	84.97	10	120	245.4	242.58	16
43	89.8	86.98	10	125	255.5	252.68	16

8 x 3 mm

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r_3	8 mm
LARGHEZZA RAGGIO C	1.0 mm
LARGHEZZA DENTE CORONA B_1	2.8 mm
LARGHEZZA DENTE CORONA b_1	2.7 mm
LARGHEZZA DENTE CORONA B_2	8.3 mm

CATENA

PASSO	8 mm
LARGHEZZA INTERNA	3 mm
RULLO \emptyset	5 mm


CORONE

S D					S D				
Z	d_e	d_p	D_1	D_2	Z	d_e	d_p	D_1	D_2
8	24.0	20.90	6	6	44	115.5	112.14	12	14
9	26.6	23.39	6	6	45	118.0	114.69	12	14
10	29.2	25.89	8	8	46	120.6	117.23	12	14
11	31.7	28.39	8	8	47	123.1	119.77	12	14
12	34.2	30.91	8	8	48	125.6	122.32	12	14
13	36.7	33.42	8	8	49	128.2	124.86	12	14
14	39.2	35.95	8	8	50	130.7	127.41	12	14
15	41.7	38.48	8	8	51	133.3	129.95	14	16
16	44.3	41.01	8	10	52	135.8	132.49	14	16
17	46.8	43.53	8	10	53	138.4	135.04	14	16
18	49.3	46.07	8	10	54	140.9	137.59	14	16
19	51.9	48.61	8	10	55	143.5	140.13	14	16
20	54.4	51.14	8	10	56	146.0	142.68	14	16
21	57.0	53.68	8	10	57	148.6	145.22	14	16
22	59.5	56.21	8	10	58	151.0	147.77	14	16
23	62.0	58.75	8	10	59	153.6	150.31	14	16
24	64.6	61.29	8	10	60	156.2	152.85	14	16
25	67.5	63.83	8	10	62	162.0	157.95	16	20
26	69.5	66.37	10	12	64	167.1	163.04	16	20
27	72.2	68.91	10	12	65	169.6	165.58	16	20
28	74.8	71.45	10	12	66	172.2	168.13	16	20
29	77.3	73.99	10	12	68	177.3	173.22	16	20
30	79.8	76.53	10	12	70	182.4	178.31	16	20
31	82.4	79.08	10	12	72	187.5	183.41	20	20
32	84.9	81.61	10	12	75	195.1	191.04	20	20
33	87.5	84.16	10	12	76	197.7	193.59	20	20
34	90.0	86.70	10	12	78	202.8	198.68	20	20
35	92.5	89.25	10	12	80	207.9	203.77	20	20
36	95.0	91.79	10	12	85	220.6	216.50	20	20
37	97.6	94.33	10	12	90	233.4	229.23	20	20
38	100.2	96.88	10	12	95	246.1	241.96	20	20
39	102.7	99.42	10	12	100	258.9	254.68	20	20
40	105.3	101.97	10	12	110	284.3	280.15	20	20
41	107.8	104.51	12	14	114	294.5	290.33	20	20
42	110.4	107.05	12	14	120	310.0	305.61	20	20
43	112.9	109.60	12	14	125	322.5	318.34	20	20



3/8" x 7/32"

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r_3	10	mm
LARGHEZZA RAGGIO C	1	mm
LARGHEZZA DENTE CORONA B_1	5.3	mm
LARGHEZZA DENTE CORONA b_1	5.2	mm
LARGHEZZA DENTE CORONA B_2	15.4	mm
LARGHEZZA DENTE CORONA B_3	25.6	mm

CATENA


PASSO	9.525	mm
LARGHEZZA INTERNA	5.72	mm
RULLO Ø	6.35	mm

CORONE

Z	S			D			T			Z	S			D			T		
	d_e	d_p	D_1	D_2	D_3	d_e	d_p	D_1	D_2		D_3	d_e	d_p	D_1	D_2	D_3	d_e	d_p	D_1
8	28.0	24.89	6	6	6	44	137.6	133.52	16	16	16								
9	31.0	27.85	7	8	8	45	140.7	136.55	16	16	16								
10	34.0	30.82	7	8	10	46	143.7	139.58	16	16	16								
11	37.0	33.80	8	10	10	47	146.7	142.61	16	16	16								
12	40.0	36.80	8	10	10	48	149.7	145.64	16	16	16								
13	43.0	39.79	8	10	10	49	152.7	148.66	16	16	16								
14	46.3	42.80	8	10	12	50	155.7	151.69	16	16	16								
15	49.3	45.81	8	10	12	51	158.7	154.72	16	16	20								
16	52.3	48.82	10	12	12	52	161.8	157.75	16	16	20								
17	55.3	51.83	10	12	12	53	164.8	160.78	16	16	20								
18	58.3	54.85	10	12	12	54	167.8	163.82	16	16	20								
19	61.3	57.87	10	12	12	55	170.8	166.85	16	16	20								
20	64.3	60.89	10	12	12	56	173.8	169.88	16	16	20								
21	68.0	63.91	10	12	14	57	176.9	172.91	16	16	20								
22	71.0	66.93	10	12	14	58	179.9	175.93	16	16	20								
23	73.5	69.95	10	12	14	59	183.0	178.96	16	16	20								
24	77.0	72.97	10	12	14	60	186.0	181.99	16	16	20								
25	80.0	76.02	10	12	14	62	192.1	188.06	20	20	20								
26	83.0	79.02	10	12	14	64	198.2	194.12	20	20	20								
27	86.0	82.02	10	12	14	65	201.6	197.15	20	20	20								
28	89.0	85.07	10	12	14	66	204.6	200.18	20	20	25								
29	92.0	88.09	10	12	14	68	210.7	206.24	20	20	25								
30	94.7	91.12	10	12	14	70	216.7	212.3	20	20	25								
31	98.3	94.15	12	14	16	72	222.8	218.37	20	20	25								
32	101.3	97.17	12	14	16	75	231.9	227.46	20	20	25								
33	104.3	100.20	12	14	16	76	234.9	230.49	20	20	25								
34	107.3	103.23	12	14	16	78	241.0	236.55	20	20	25								
35	110.4	106.26	12	14	16	80	247.1	242.61	20	20	25								
36	113.4	109.20	12	14	16	85	262.2	257.77	20	20	25								
37	116.4	112.32	12	14	16	90	277.4	272.93	20	20	25								
38	119.5	115.35	12	14	16	95	292.5	288.08	20	20	25								
39	122.5	118.37	12	14	16	100	307.7	303.25	20	20	25								
40	125.5	121.40	12	14	16	110	338.0	333.55	20	20	25								
41	128.5	124.43	16	16	16	114	349.5	345.68	20	20	25								
42	131.6	127.46	16	16	16	120	368.3	363.86	20	20	25								
43	134.6	130.49	16	16	16	125	383.5	379.02	20	20	25								

1/2" x 1/8"

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r_3	13	mm
LARGHEZZA RAGGIO C	1.0	mm
LARGHEZZA DENTE CORONA B_1	3	mm

CATENA

PASSO	12.7	mm
LARGHEZZA INTERNA	3.3	mm
RULLO Ø	7.75	mm


CORONE

Z	S			Z	S		
	d_e	d_p	D_1		d_e	d_p	D_1
8	37.2	33.18	8	43	179.5	173.99	16
9	41.5	37.13	8	44	183.5	178.03	16
10	46.2	41.10	8	45	187.5	182.07	16
11	49.6	45.07	8	46	191.6	186.10	20
12	53.9	49.07	8	47	195.6	190.14	20
13	58.4	53.06	8	48	199.7	194.18	20
14	62.8	57.07	8	49	203.7	198.22	20
15	66.8	61.09	8	50	207.8	202.26	20
16	70.9	65.10	10	51	211.8	206.30	20
17	74.9	69.11	10	52	215.9	210.34	20
18	78.9	73.14	10	53	219.9	214.37	20
19	82.9	77.16	10	54	224.0	218.43	20
20	86.9	81.19	10	55	228.0	222.46	20
21	91.0	85.22	10	56	232.1	226.50	20
22	95.0	89.24	10	57	236.1	230.54	20
23	99.0	93.27	10	58	240.2	234.58	20
24	103.0	97.29	10	59	244.2	238.62	20
25	107.1	101.33	10	60	248.2	242.66	20
26	111.2	105.36	12	62	256.7	250.75	20
27	115.4	109.40	12	64	264.8	258.82	20
28	119.4	113.42	12	65	268.8	262.86	20
29	123.4	117.46	12	66	272.9	268.90	25
30	127.5	121.50	12	68	280.9	274.99	25
31	131.5	125.54	12	70	289.0	283.07	25
32	135.5	129.56	12	72	297.1	291.16	25
33	139.6	133.60	12	76	313.3	307.33	25
34	143.6	137.64	12	78	321.4	315.40	25
35	147.6	141.68	12	80	329.4	323.48	25
36	151.7	145.72	16	85	349.7	343.70	25
37	155.7	149.76	16	90	369.9	363.90	25
38	159.8	153.80	16	95	390.1	384.10	25
39	163.8	157.83	16	100	410.3	404.31	25
40	167.8	161.87	16	110	450.7	444.74	25
41	171.4	165.91	16	114	466.9	460.90	25
42	175.4	169.95	16	120	491.2	485.16	25
				125	511.4	505.37	25



1/2" x 3/16"

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r_3	13	mm
LARGHEZZA RAGGIO C	1.3	mm
LARGHEZZA DENTE CORONA B_1	4.3 ^{+0.2}	mm

CATENA


PASSO	12.7	mm
LARGHEZZA INTERNA	4.88	mm
RULLO Ø	7.75	mm

CORONE

S				S			
Z	d _e	d _p	D ₁	Z	d _e	d _p	D ₁
8	38.5	33.18	8	43	179.5	173.99	16
9	41.5	37.13	8	44	183.5	178.03	16
10	46.2	41.10	8	45	187.5	182.07	16
11	49.6	45.07	8	46	191.6	186.10	20
12	53.9	49.07	8	47	195.6	190.14	20
13	58.4	53.06	8	48	199.7	194.18	20
14	62.8	57.07	8	49	203.7	198.22	20
15	66.8	61.09	8	50	207.8	202.26	20
16	70.9	65.10	10	51	211.8	206.30	20
17	74.9	69.11	10	52	215.9	210.34	20
18	78.9	73.14	10	53	219.9	214.37	20
19	82.9	77.16	10	54	224.0	218.43	20
20	86.9	81.19	10	55	228.0	222.46	20
21	91.0	85.22	10	56	232.1	226.50	20
22	95.0	89.24	10	57	236.1	230.54	20
23	99.0	93.27	10	58	240.2	234.58	20
24	103.0	97.29	10	59	244.2	238.62	20
25	107.1	101.33	10	60	248.2	242.66	20
26	111.2	105.36	12	62	256.7	250.75	20
27	115.4	109.40	12	64	264.8	258.82	20
28	119.4	113.42	12	65	268.8	262.86	20
29	123.4	117.46	12	66	272.9	266.90	25
30	127.5	121.50	12	68	280.9	274.99	25
31	131.5	125.54	12	70	289.0	283.07	25
32	135.5	129.56	12	72	297.1	291.16	25
33	139.6	133.60	12	76	313.3	307.33	25
34	143.6	137.64	12	78	321.4	315.40	25
35	147.6	141.68	12	80	329.4	323.48	25
36	151.7	145.72	16	85	349.7	343.70	25
37	155.7	149.76	16	90	369.9	363.90	25
38	159.8	153.80	16	95	390.1	384.10	25
39	163.8	157.83	16	100	410.3	404.31	25
40	167.8	161.87	16	110	450.7	444.74	25
41	171.4	165.91	16	114	466.9	460.90	25
42	175.4	169.95	16	120	491.2	485.16	25
				125	511.4	505.37	25

1/2" x 1/4" - rullo 7.75

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r_3	13	mm
LARGHEZZA RAGGIO C	1.3	mm
LARGHEZZA DENTE CORONA B_1	5.9	mm

CATENA

PASSO	12.7	mm
LARGHEZZA INTERNA	6.4	mm
RULLO Ø	7.75	mm


CORONE

S				S			
Z	d _e	d _p	D ₁	Z	d _e	d _p	D ₁
8	38.5	33.18	8	43	179.5	173.99	16
9	41.5	37.13	8	44	183.5	178.03	16
10	46.2	41.10	8	45	187.5	182.07	16
11	49.6	45.07	8	46	191.6	186.10	20
12	53.9	49.07	8	47	195.6	190.14	20
13	58.4	53.06	8	48	199.7	194.18	20
14	62.8	57.07	8	49	203.7	198.22	20
15	66.8	61.09	8	50	207.8	202.26	20
16	70.9	65.10	10	51	211.8	206.30	20
17	74.9	69.11	10	52	215.9	210.34	20
18	78.9	73.14	10	53	219.9	214.37	20
19	82.9	77.16	10	54	224.0	218.43	20
20	86.9	81.19	10	55	228.0	222.46	20
21	91.0	85.22	10	56	232.1	226.50	20
22	95.0	89.24	10	57	236.1	230.54	20
23	99.0	93.27	10	58	240.2	234.58	20
24	103.0	97.29	10	59	244.2	238.62	20
25	107.1	101.33	10	60	248.2	242.66	20
26	111.2	105.36	12	62	256.7	250.75	20
27	115.4	109.40	12	64	264.8	258.82	20
28	119.4	113.42	12	65	268.8	262.86	20
29	123.4	117.46	12	66	272.9	266.90	25
30	127.5	121.50	12	68	280.9	274.99	25
31	131.5	125.54	12	70	289.0	283.07	25
32	135.5	129.56	12	72	297.1	291.16	25
33	139.6	133.60	12	76	313.3	307.33	25
34	143.6	137.64	12	78	321.4	315.40	25
35	147.6	141.68	12	80	329.4	323.48	25
36	151.7	145.72	16	85	349.7	343.70	25
37	155.7	149.76	16	90	369.9	363.90	25
38	159.8	153.80	16	95	390.1	384.10	25
39	163.8	157.83	16	100	410.3	404.31	25
40	167.8	161.87	16	110	450.7	444.74	25
41	171.4	165.91	16	114	466.9	460.90	25
42	175.4	169.95	16	120	491.2	485.16	25
				125	511.4	505.37	25



1/2" x 1/4" - rullo 8.51

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r_3	13	mm
LARGHEZZA RAGGIO C	1.3	mm
LARGHEZZA DENTE CORONA B_1	5.9	mm

CATENA


PASSO	12.7	mm
LARGHEZZA INTERNA	6.4	mm
RULLO Ø	8.51	mm

CORONE

S				S			
Z	d_e	d_p	D_1	Z	d_e	d_p	D_1
8	37.2	33.18	8	43	179.7	173.99	16
9	41.0	37.13	8	44	183.8	178.03	16
10	45.2	41.10	8	45	188.0	182.07	16
11	48.7	45.07	8	46	192.1	186.10	20
12	53.0	49.07	8	47	196.2	190.14	20
13	57.4	53.06	8	48	200.3	194.18	20
14	61.8	57.07	8	49	204.3	198.22	20
15	65.5	61.09	8	50	208.3	202.26	20
16	69.5	65.10	10	51	212.1	206.30	20
17	73.6	69.11	10	52	216.1	210.34	20
18	77.8	73.14	10	53	220.2	214.37	20
19	81.7	77.16	10	54	224.1	218.43	20
20	85.8	81.19	10	55	228.1	222.46	20
21	89.7	85.22	10	56	232.2	226.50	20
22	93.8	89.24	10	57	236.4	230.54	20
23	98.2	93.27	10	58	240.5	234.58	20
24	101.8	97.29	10	59	244.5	238.62	20
25	105.8	101.33	10	60	248.6	242.66	20
26	110.0	105.36	12	62	256.9	250.75	20
27	114.0	109.40	12	64	265.1	258.82	20
28	118.0	113.42	12	65	269.0	262.86	20
29	122.0	117.46	12	66	273.0	266.90	25
30	126.1	121.50	12	68	281.0	274.99	25
31	130.2	125.54	12	70	289.0	283.07	25
32	134.2	129.56	12	72	297.2	291.16	25
33	138.4	133.60	12	76	313.3	307.33	25
34	142.6	137.64	12	78	321.4	315.40	25
35	146.7	141.68	12	80	329.4	323.48	25
36	151.0	145.72	16	85	349.0	343.70	25
37	154.6	149.76	16	90	369.9	363.90	25
38	158.6	153.80	16	95	390.1	384.10	25
39	162.7	157.83	16	100	410.3	404.31	25
40	166.8	161.87	16	110	450.7	444.74	25
41	171.4	165.91	16	114	466.9	460.90	25
42	175.4	169.95	16	120	491.2	485.16	25
				125	511.3	505.37	25

1/2" x 5/16"

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r_3	13	mm
LARGHEZZA RAGGIO C	1.3	mm
LARGHEZZA DENTE CORONA B_1	7.2	mm
LARGHEZZA DENTE CORONA b_1	7	mm
LARGHEZZA DENTE CORONA B_2	21	mm
LARGHEZZA DENTE CORONA B_3	34.9	mm

CATENA

PASSO	12.7	mm
LARGHEZZA INTERNA	7.75	mm
RULLO Ø	8.51	mm

CORONE


S D T						S D T					
Z	d_e	d_p	D_1	D_2	D_3	Z	d_e	d_p	D_1	D_2	D_3
8	37.2	33.18	8	10	10	44	183.8	178.03	20	20	25
9	41.0	37.13	8	10	12	45	188.0	182.07	20	20	25
10	45.2	41.10	8	10	12	46	192.1	186.10	20	20	25
11	48.7	45.07	10	12	14	47	198.2	190.14	20	20	25
12	53.0	49.07	10	12	14	48	200.3	194.18	20	20	25
13	57.4	53.06	10	12	14	49	204.3	198.22	20	20	25
14	61.8	57.07	10	12	14	50	208.3	202.26	20	20	25
15	65.5	61.09	10	12	14	51	212.1	206.30	20	25	25
16	69.5	65.10	10	14	16	52	216.1	210.34	20	25	25
17	73.6	69.11	10	14	16	53	220.2	214.37	20	25	25
18	77.8	73.14	10	14	16	54	224.1	218.43	20	25	25
19	81.7	77.16	10	14	16	55	228.1	222.46	20	25	25
20	85.8	81.19	10	14	16	56	232.2	226.50	20	25	25
21	89.7	85.22	12	16	20	57	236.4	230.54	20	25	25
22	93.8	89.24	12	16	20	58	240.5	234.58	20	25	25
23	98.2	93.27	12	16	20	59	244.5	238.62	20	25	25
24	101.8	97.29	12	16	20	60	248.6	242.66	20	25	25
25	105.8	101.33	12	16	20	62	256.9	250.75	25	25	25
26	110.0	105.36	16	16	20	64	265.1	258.82	25	25	25
27	114.0	109.40	16	16	20	65	269.0	262.86	25	25	25
28	118.0	113.42	16	16	20	66	273.0	266.90	25	25	25
29	122.0	117.46	16	16	20	68	281.0	274.99	25	25	25
30	126.1	121.50	16	16	20	70	289.0	283.07	25	25	25
31	130.2	125.54	16	16	20	72	297.2	291.16	25	25	25
32	134.3	129.56	16	16	20	75	309.2	303.27	25	25	25
33	138.4	133.60	16	16	20	76	313.3	307.33	25	25	25
34	142.6	137.64	16	16	20	78	321.4	315.40	25	25	25
35	146.7	141.68	16	16	20	80	329.4	323.48	25	25	25
36	151.0	145.72	16	20	25	85	349.0	343.70	25	25	25
37	154.6	149.76	16	20	25	90	369.9	363.90	25	25	25
38	158.6	153.80	16	20	25	95	390.1	384.11	25	25	25
39	162.7	157.83	16	20	25	100	410.3	404.32	25	25	25
40	166.8	161.87	16	20	25	110	450.7	444.74	25	25	25
41	171.4	165.91	20	20	25	114	466.9	460.90	25	25	25
42	175.4	169.95	20	20	25	120	491.2	485.16	25	25	25
43	179.7	173.99	20	20	25	125	511.3	505.37	25	25	25



CORONA

5/8" x 3/8"

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r ₃	16	mm
LARGHEZZA RAGGIO C	1.6	mm
LARGHEZZA DENTE CORONA B ₁	9.1	mm
LARGHEZZA DENTE CORONA b ₁	9	mm
LARGHEZZA DENTE CORONA B ₂	25.5	mm
LARGHEZZA DENTE CORONA B ₃	42.1	mm


CATENA

PASSO	15.875	mm
LARGHEZZA INTERNA	9.65	mm
RULLO Ø	10.16	mm

S D T						S D T					
Z	d _e	d _p	D ₁	D ₂	D ₃	Z	d _e	d _p	D ₁	D ₂	D ₃
8	47.0	41.48	10	12	12	44	230.0	222.53	20	20	25
9	52.6	46.42	10	12	12	45	235.0	227.58	20	20	25
10	57.5	51.37	10	12	16	46	240.1	232.63	20	25	25
11	63.0	56.34	10	14	16	47	245.1	237.68	20	25	25
12	68.0	61.34	10	14	16	48	250.2	242.73	20	25	25
13	73.0	66.32	10	14	16	49	255.2	247.78	20	25	25
14	78.0	71.34	10	14	16	50	260.3	252.82	20	25	25
15	83.0	76.36	10	14	16	51	265.3	257.87	20	25	25
16	88.0	81.37	12	16	16	52	270.4	262.92	20	25	25
17	93.0	86.38	12	16	16	53	275.4	267.97	20	25	25
18	98.3	91.42	12	16	16	54	280.5	273.03	20	25	25
19	103.3	96.45	12	16	16	55	285.5	278.08	20	25	25
20	108.4	101.49	12	16	16	56	290.6	283.13	25	25	25
21	113.4	106.52	12	16	20	57	296.0	288.18	25	25	25
22	118.0	111.55	12	16	20	58	300.7	293.23	25	25	25
23	123.5	116.58	12	16	20	59	305.7	298.27	25	25	25
24	128.3	121.62	12	16	20	60	310.8	303.32	25	25	25
25	134.0	126.66	12	16	20	62	321.4	313.43	25	25	30
26	139.0	131.70	16	16	20	64	331.5	323.53	25	25	30
27	144.0	136.75	16	16	20	65	336.5	328.58	25	25	30
28	148.7	141.78	16	16	20	66	341.6	333.63	25	25	30
29	153.8	146.83	16	16	20	68	351.7	343.74	25	25	30
30	158.8	151.87	16	16	20	70	361.8	353.84	25	25	30
31	163.9	156.92	16	20	20	72	371.9	363.95	25	25	30
32	168.9	161.95	16	20	20	75	387.1	379.09	25	25	30
33	174.5	167.00	16	20	20	76	392.1	384.16	25	25	30
34	179.0	172.05	16	20	20	78	402.2	394.25	25	25	30
35	184.1	177.10	16	20	20	80	412.3	404.35	25	30	30
36	189.1	182.15	20	20	25	85	437.6	429.62	30	30	30
37	194.2	187.20	20	20	25	90	462.8	454.88	30	30	30
38	199.2	192.24	20	20	25	95	488.5	480.14	30	30	30
39	204.2	197.29	20	20	25	100	513.4	505.39	30	30	30
40	209.3	202.34	20	20	25	110	563.9	555.92	30	30	30
41	214.8	207.39	20	20	25	114	584.1	576.13	30	30	30
42	219.9	212.44	20	20	25	120	614.4	606.45	30	30	30
43	224.9	217.49	20	20	25	125	639.7	631.51	30	30	30

3/4" x 7/16"

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r ₃	19	mm
LARGHEZZA RAGGIO C	2	mm
LARGHEZZA DENTE CORONA B ₁	11.1	mm
LARGHEZZA DENTE CORONA b ₁	10.8	mm
LARGHEZZA DENTE CORONA B ₂	30.3	mm
LARGHEZZA DENTE CORONA B ₃	49.8	mm

CATENA

PASSO	19.05	mm
LARGHEZZA INTERNA	11.68	mm
RULLO Ø	12.07	mm


CORONA

S D T						S D T					
Z	d _e	d _p	D ₁	D ₂	D ₃	Z	d _e	d _p	D ₁	D ₂	D ₃
8	57.6	49.78	12	12	16	44	276.5	267.04	25	25	25
9	62.0	55.70	12	12	16	45	282.5	273.10	25	25	25
10	69.0	61.64	12	12	16	46	287.9	279.16	25	25	25
11	75.0	67.61	14	16	20	47	294.0	285.21	25	25	25
12	81.5	73.61	14	16	20	48	300.1	291.27	25	25	25
13	87.5	79.59	14	16	20	49	306.2	297.33	25	25	25
14	93.6	85.61	14	16	20	50	312.3	303.39	25	25	25
15	99.8	91.63	14	16	20	51	318.4	309.45	25	25	25
16	105.5	97.65	14	20	20	52	324.5	315.50	25	25	25
17	111.5	103.67	14	20	20	53	330.5	321.56	25	25	25
18	118.0	109.71	14	20	20	54	336.6	327.64	25	25	25
19	124.2	115.75	14	20	20	55	342.7	333.70	25	25	25
20	129.7	121.78	14	20	20	56	348.7	339.75	25	25	30
21	136.0	127.82	16	20	20	57	355.4	345.81	25	25	30
22	141.8	133.86	16	20	20	58	361.5	351.87	25	25	30
23	149.0	139.90	16	20	20	59	367.5	357.93	25	25	30
24	153.9	145.94	16	20	20	60	373.0	363.99	25	25	30
25	160.0	152.00	16	20	20	62	385.1	376.12	25	30	30
26	165.9	158.04	16	20	20	64	397.2	388.24	25	30	30
27	172.3	164.09	16	20	20	65	403.2	394.29	25	30	30
28	178.0	170.13	16	20	20	66	409.3	400.35	30	30	30
29	184.1	176.19	16	20	20	68	421.4	412.49	30	30	30
30	190.5	182.25	16	20	20	70	433.6	424.60	30	30	30
31	196.3	188.31	20	20	25	72	447.0	436.74	30	30	30
32	203.3	194.36	20	20	25	75	463.9	454.91	30	30	30
33	209.2	200.40	20	20	25	76	469.9	460.99	30	30	30
34	214.6	206.46	20	20	25	78	482.1	473.10	30	30	30
35	221.0	212.52	20	20	25	80	494.2	485.22	30	30	30
36	226.8	218.58	20	25	25	85	524.5	515.55	30	30	30
37	232.9	224.64	20	25	25	90	554.8	545.86	30	30	30
38	239.0	230.69	20	25	25	95	585.1	576.17	30	30	30
39	245.1	236.75	20	25	25	100	615.4	606.47	30	30	30
40	251.3	242.81	20	25	25	110	676.1	667.11	30	30	30
41	257.3	248.87	25	25	25	114	700.6	691.36	30	30	30
42	264.5	254.93	25	25	25	120	736.7	727.74	30	30	30
43	270.5	260.98	25	25	25	125	767.0	758.05	30	30	30



1" x 17.02 mm

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r_3	26	mm
LARGHEZZA RAGGIO C	2.5	mm
LARGHEZZA DENTE CORONA B_1	16.2	mm
LARGHEZZA DENTE CORONA b_1	15.8	mm
LARGHEZZA DENTE CORONA B_2	47.7	mm
LARGHEZZA DENTE CORONA B_3	79.6	mm

CATENA


PASSO	25.4	mm
LARGHEZZA INTERNA	17.02	mm
RULLO Ø	15.88	mm

CORONA

			S			D			T		
Z	d_e	d_p	D_1	D_2	D_3	Z	d_e	d_p	D_1	D_2	D_3
8	77.0	66.37	14	16	20	44	369.1	356.06	25	25	30
9	85.0	74.27	14	16	20	45	377.1	364.13	25	25	30
10	93.0	82.19	15	16	20	46	385.2	372.21	25	30	30
11	99.5	90.14	15	20	25	47	393.2	380.29	25		
12	109.0	98.14	15	20	25	48	401.3	388.36	25	30	30
13	117.0	106.12	15	20	25	49	409.3	396.44	25		
14	125.0	114.15	15	20	25	50	417.4	404.52	25	30	30
15	133.0	122.17	15	20	25	51	425.5	412.60	30	30	40
16	141.0	130.20	19	20	30	52	433.6	420.67	30	30	40
17	149.0	138.22	19	20	30	53	441.7	428.75	30		
18	157.0	146.28	19	20	30	54	448.3	436.85	30		
19	165.2	154.33	19	20	30	55	457.9	444.93	30	30	40
20	173.0	162.38	19	20	30	56	466.0	453.01	30	30	
21	181.2	170.43	20	25	30	57	474.0	461.07	30	30	40
22	189.3	178.48	20	25	30	58	482.1	469.16	30		
23	197.5	186.53	20	25	30	59	490.2	477.24	30		
24	205.5	194.59	20	25	30	60	498.3	485.32	30	30	40
25	213.5	202.66	20	25	30	62	514.5	501.50	30	30	
26	221.6	210.72	20	25	30	64	530.7	517.65	30		
27	229.6	218.79	20	25	30	65	538.8	525.73	30	30	40
28	237.7	226.85	20	25	30	66	546.8	533.80	30		
29	245.8	234.92	20	25	30	68	562.9	549.98	30	30	40
30	254.0	243.00	20	25	30	70	579.2	566.14	30	30	40
31	262.0	251.08	25	25	30	72	595.4	582.32	30	30	40
32	270.0	259.13	25	25	30	75	619.7	606.55	30	30	40
33	278.5	267.21	25	25	30	76	627.0	614.65	30	30	40
34	287.0	275.28	25	25	30	78	643.3	630.80	30		
35	296.2	283.36	25	25	30	80	660.0	646.96	30	30	40
36	304.6	291.44	25	25	30	85	699.9	687.40	30	30	40
37	312.6	299.51	25	25	30	90	740.3	727.81	30	30	40
38	320.7	307.59	25	25	30	95	781.1	768.22	30	30	40
39	328.8	315.67	25	25	30	100	821.1	808.63	30	30	40
40	336.9	323.75	25	25	30	110	902.0	889.48	30	30	40
41	345.0	331.82	25			114	934.3	921.81	30	40	40
42	353.0	339.90	25	25	30	120	982.8	970.33	30	40	40
43	361.1	347.98	25	25		125	1023.2	1010.73	30	40	40

1" 1/4 x 3/4"

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r_3	32	mm
LARGHEZZA RAGGIO C	3.5	mm
LARGHEZZA DENTE CORONA B_1	18.5	mm
LARGHEZZA DENTE CORONA b_1	18.2	mm
LARGHEZZA DENTE CORONA B_2	54.6	mm
LARGHEZZA DENTE CORONA B_3	91	mm

CATENA

PASSO	31.75	mm
LARGHEZZA INTERNA	19.56	mm
RULLO Ø	19.05	mm


CORONA

			S			D			T		
Z	d_e	d_p	D_1	D_2	D_3	Z	d_e	d_p	D_1	D_2	D_3
8	98.1	82.96	16	20	20	43	450.1	434.97	30		
9	108.0	92.84	16	20	20	44	460.2	445.07	30		
10	117.9	102.74	16	20	20	45	470.3	455.17	30	30	40
11	127.8	112.68	16	20	20	46	480.4	465.26	30	30	40
12	137.8	122.68	20	20	20	47	490.5	475.36	30		
13	147.8	132.65	20	20	20	48	500.6	485.46	30	30	40
14	157.8	142.68	20	20	20	49	510.7	495.55	30		
15	167.9	152.72	20	20	20	50	520.8	505.65	30	30	40
16	177.9	162.75	25	25	25	51	530.9	515.75	30		
17	187.9	172.78	25	25	25	52	541.0	525.84	30	30	40
18	198.0	182.85	25	25	25	53	551.1	535.94	30		
19	208.1	192.91	25	25	25	54	561.2	546.07	30		
20	218.1	202.98	25	25	25	55	571.3	556.16	30	30	40
21	228.2	213.04	25	25	25	56	581.4	566.26	30		
22	238.3	223.11	25	25	25	57	591.5	576.36	30	30	40
23	248.3	233.17	25	25	25	58	601.6	586.45	30		
24	258.4	243.23	25	25	25	59	611.7	596.55	30		
25	268.5	253.33	25	25	25	60	621.8	606.65	30	30	40
26	278.6	263.40	25	25	25	62	642.0	626.87	30		
27	288.6	273.40	25	25	25	64	662.2	647.06	30		
28	298.7	283.56	25	25	25	65	672.3	657.16	30	30	40
29	308.8	293.65	25	25	25	66	682.4	667.26	30		
30	318.9	303.75	25	25	25	68	702.6	687.48	30		
31	329.0	313.85	25	25	30	70	722.8	707.67	30	30	40
32	339.1	323.91	25	25	30	72	743.1	727.90	30		
33	349.2	334.01	25	25	30	75	773.3	758.19	30		
34	359.3	344.10	25	25	30	76	783.5	768.32	30	30	40
35	369.4	354.20	25	25	30	80	823.9	808.72	30	30	40
36	379.5	364.30	25	30	30	85	874.4	859.25	30		
37	389.5	374.39	25	30	30	90	924.9	909.76	30		
38	399.6	384.49	25	30	30	95	975.4	960.28	30	30	40
39	409.7	394.59	25	30	30	100	1026.0	1010.79	30		
40	419.8	404.68	25	30	30	114	1167.4	1152.26	30	40	40
41	429.9	414.78	30								
42	440.0	424.88	30	30	40						



1" 1/2 x 1"

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r_3	38	mm
LARGHEZZA RAGGIO C	4	mm
LARGHEZZA DENTE CORONA B_1	24.1	mm
LARGHEZZA DENTE CORONA b_1	23.6	mm
LARGHEZZA DENTE CORONA B_2	72	mm
LARGHEZZA DENTE CORONA B_3	120.3	mm

CATENA


PASSO	38.1	mm
LARGHEZZA INTERNA	25.4	mm
RULLO Ø	25.4	mm

CORONA

Z	d_e	d_p	S D T			Z	d_e	d_p	S D T		
			D_1	D_2	D_3				D_1	D_2	D_3
8	115.0	99.55	20	25	25	43	536.8	521.97	30		
9	126.4	111.40	20	25	25	44	549.0	534.08	30		
10	138.0	123.29	20	25	25	45	561.2	546.20	30	40	40
11	150.0	135.21	20	25	25	46	573.3	558.32	30	40	40
12	162.0	147.22	20	25	25	47	585.4	570.43	30		
13	174.2	159.18	20	25	25	48	597.4	582.55	30	40	40
14	186.2	171.22	20	25	25	49	609.5	594.66	30		
15	198.2	183.26	20	25	25	50	621.7	606.78	30	40	40
16	210.3	195.30	25	25	25	51	633.8	618.89	30		
17	222.3	207.34	25	25	25	52	646.0	631.01	30		
18	234.3	219.42	25	25	25	53	658.0	643.13	30		
19	246.5	231.49	25	25	25	54	670.2	655.28	30		
20	258.6	243.57	25	25	25	55	682.3	667.40	30	40	40
21	270.6	255.65	25	25	30	56	694.4	679.51	30		
22	282.7	267.73	25	25	30	57	706.5	691.63	30	40	40
23	294.8	279.80	25	25	30	58	718.6	703.74	30		
24	306.8	291.88	25	25	30	59	730.7	715.86	30		
25	319.0	304.00	25	25	30	60	742.8	727.97	30	40	40
26	331.0	316.08	30	30	30	62	767.2	752.24	40		
27	343.2	328.19	30	30	30	64	791.3	776.48	40		
28	355.2	340.27	30	30	30	65	803.4	788.59	40	40	40
29	367.3	352.38	30	30	30	66	815.6	800.71	40		
30	379.5	364.50	30	30	40	68	839.8	824.98	40		
31	391.6	376.62	30	30		70	864.2	849.21	40		
32	403.7	388.69	30	30	40	72	888.4	873.48	40		
33	415.8	400.81	30	30	40	75	924.8	909.83	40		
34	427.8	412.93	30	30	40	76	936.9	921.98	40	40	40
35	440.0	425.04	30	30	40	80	985.4	970.44	40		
36	452.0	437.16	30	30	40	85	1046.0	1031.10	40		
37	464.2	449.27	30	30		95	1167.3	1152.33	40		
38	476.2	461.39	30	30	40						
39	488.5	473.50	30	30							
40	500.6	485.62	30	30	40						
41	512.6	497.74	30								
42	524.7	509.85	30	40	40						

1" 3/4 x 1" 1/4

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r_3	44	mm
LARGHEZZA RAGGIO C	5	mm
LARGHEZZA DENTE CORONA B_1	29.4	mm
LARGHEZZA DENTE CORONA b_1	28.8	mm
LARGHEZZA DENTE CORONA B_2	88.4	mm
LARGHEZZA DENTE CORONA B_3	148	mm

CATENA

PASSO	44.45	mm
LARGHEZZA INTERNA	30.99	mm
RULLO Ø	27.94	mm


CORONA

Z	d_e	d_p	S D T			Z	d_e	d_p	S D T		
			D_1	D_2	D_3				D_1	D_2	D_3
8	132.0	116.15	25	25	25	57	825.0	806.90	40	40	40
9	148.4	129.96	25	25	25	60	869.0	849.32	40	40	40
10	162.3	143.85	25	25	25	76	1095.0	1075.62	40	40	40
11	176.3	157.77	25	25	30						
12	189.5	171.74	25	25	30						
13	204.2	185.75	25	25	30						
14	218.2	199.76	25	25	30						
15	232.3	213.79	25	25	30						
16	246.3	227.84	30	30	30						
17	260.0	241.91	30	30	30						
18	274.0	255.98	30	30	30						
19	289.0	270.06	30	30	30						
20	303.0	284.15	30	30	30						
21	317.0	298.24	30	30	30						
22	331.0	312.34	30	30	30						
23	345.0	326.44	30	30	30						
24	359.0	340.55	30	30	30						
25	373.0	354.66	30	30	40						
26	387.0	368.77	30	30	40						
27	401.4	382.88	30	30	40						
28	416.0	397.00	30	30	40						
29	430.0	411.12	30	30							
30	444.0	425.24	30	30	40						
31	458.0	439.37	30								
32	472.0	453.49	30								
33	486.0	467.62	30								
34	500.0	481.75	30								
35	514.0	495.88	30	30	40						
36	529.0	510.01	30								
37	543.0	524.14	30								
38	557.0	538.27	30	30	40						
39	571.0	552.40	30								
40	585.0	566.54	30	30	40						
45	656.0	637.22	30	30	40						
50	726.0	707.91	30	30	40						



2" x 1" 1/4

per catene a rulli secondo
DIN 8187 - ISO/R 606



CORONA

RAGGIO DENTE r_3	51	mm
LARGHEZZA RAGGIO C	5	mm
LARGHEZZA DENTE CORONA B_1	29.4	mm
LARGHEZZA DENTE CORONA b_1	28.8	mm
LARGHEZZA DENTE CORONA B_2	87.4	mm
LARGHEZZA DENTE CORONA B_3	146	mm

CATENA

PASSO	50.8	mm
LARGHEZZA INTERNA	30.99	mm
RULLO \emptyset	29.21	mm


CORONE

			S	D	T				S	D	T
Z	d_e	d_p	D_1	D_2	D_3	Z	d_e	d_p	D_1	D_2	D_3
8	153.2	132.69	25	25	25	76	1252.0	1229.28	40	40	40
9	169.0	148.54	25	25	25						
10	185.0	164.44	25	25	25						
11	200.8	180.34	30	30	30						
12	216.8	196.29	30	30	30						
13	232.8	212.29	30	30	30						
14	248.8	228.29	30	30	30						
15	264.8	244.30	30	30	30						
16	280.9	260.40	30	30	30						
17	296.9	276.40	30	30	30						
18	313.0	292.55	30	30	30						
19	329.1	308.66	30	30	30						
20	345.2	324.71	30	30	30						
21	361.3	340.82	30	30	40						
22	377.5	356.98	30	30	40						
23	393.6	373.08	30	30	40						
24	409.7	389.18	30	30	40						
25	425.8	405.33	30	30	40						
26	441.9	421.44	30	30	40						
27	458.1	437.59	30	30	40						
28	474.2	453.69	30	30	40						
29	490.4	469.90	30								
30	506.5	486.00	30	30	40						
32	538.8	518.26	30								
35	589.5	566.72	30	30	40						
38	635.5	615.14	30	30	40						
40	670.3	647.49	40	40	40						
45	751.0	728.26	40	40	40						
50	831.8	809.04	40	40	40						
57	945.0	922.17	40	40	40						
60	993.4	970.63	40	40	40						



Passo 3/8" x 3/16"

per catene a rulli secondo
DIN 8188 - ISO/R 606 - ANSI B 29.1



CORONE ASA 35

CORONE S D T

Z	d _e	d _p	D ₁	D ₂	D ₃
30	96.00	91.12		12	
32	102.06	97.17		12	
36	114.17	109.29		12	
38	120.22	115.34		12	14
40	126.28	121.40		12	
45	141.43	136.55	16	16	
48	150.52	145.64	16		
57	177.79	172.91	16	16	
76	235.37	230.49	20	20	

CORONA


RAGGIO DENTE r ₃	10	mm
LARGHEZZA RAGGIO C	1.2	mm
LARGHEZZA DENTE B ₁	4.4	mm
LARGHEZZA DENTE b ₁	4.3	mm
LARGHEZZA DENTE B ₂	14.4	mm

CATENA

PASSO	9.525	mm
LARGHEZZA INTERNA	4.77	mm
RULLO Ø	5.08	mm

Passo 1/2" x 5/16"

per catene a rulli secondo
DIN 8188 - ISO/R 606 - ANSI B 29.1



CORONE ASA 40

CORONE S D T

Z	d _e	d _p	D ₁	D ₂	D ₃
30	128.06	121.50			20
32	136.13	129.57		16	
38	160.35	153.79		20	25
40	168.43	161.87		20	
42	176.50	169.94	20		
45	188.62	182.06	20	20	25
48	200.74	194.18	20		
57	237.10	230.54	20	25	25
76	313.88	307.32	25	25	25
95	390.67	384.11		25	

CORONA


RAGGIO DENTE r ₃	13.5	mm
LARGHEZZA RAGGIO C	1.6	mm
LARGHEZZA DENTE B ₁	7.4	mm
LARGHEZZA DENTE b ₁	7.2	mm
LARGHEZZA DENTE B ₂	21.6	mm
LARGHEZZA DENTE B ₃	36	mm

CATENA

PASSO	12.7	mm
LARGHEZZA INTERNA	7.94	mm
RULLO Ø	7.94	mm



Passo 1" x 5/8"
per catene a rulli secondo
DIN 8188 - ISO/R 606 - ANSI B 29.1



CORONA

RAGGIO DENTE r_3	27	mm
LARGHEZZA RAGGIO C	3.2	mm
LARGHEZZA DENTE B_1	15.0	mm
LARGHEZZA DENTE b_1	14.7	mm
LARGHEZZA DENTE B_2	44.0	mm
LARGHEZZA DENTE B_3	73.3	mm


CATENA

PASSO	25.4	mm
LARGHEZZA INTERNA	15.88	mm
RULLO \emptyset	15.88	mm

CORONE ASA 80

Z	S			D			T		
	d_e	d_p	D_1	D_2	D_3				
10	95.32	82.19	15						
11	103.28	90.14	15						
12	111.26	98.14	15						
13	119.26	106.12	15						
14	127.27	114.15	15						
15	135.29	122.17	15						
16	143.32	130.20	19						
17	151.35	138.22	19						
18	159.39	146.28	19						
19	167.44	154.33	19						
20	175.49	162.38	19						
21	183.54	170.43	20						
22	191.60	178.48	20						
23	199.66	186.53	20						
24	207.72	194.59	20						
25	215.78	202.66	20	25	30				
26	223.84	210.72	20						
27	231.91	218.79	20						
28	239.98	226.85	20						
30	256.12	243.00	20	25	30				
32	272.26	259.13	25						
35	296.48	283.36	25						
38	320.70	307.59	25	25	30				
45	377.24	364.12	25	25	30				
50	417.64	404.52	25						
57	474.20	461.08	25	25	40				
76	627.80	614.64	25	25	40				

Passo 1" 1/4 x 3/4"
per catene a rulli secondo
DIN 8188 - ISO/R 606 - ANSI B 29.1



CORONA

RAGGIO DENTE r_3	33.5	mm
LARGHEZZA RAGGIO C	4	mm
LARGHEZZA DENTE B_1	18.0	mm
LARGHEZZA DENTE b_1	17.7	mm
LARGHEZZA DENTE B_2	53.5	mm
LARGHEZZA DENTE B_3	89.2	mm

CATENA

PASSO	31.75	mm
LARGHEZZA INTERNA	19.05	mm
RULLO \emptyset	19.05	mm

CORONE ASA 100

Z	S			D			T		
	d_e	d_p	D_1	D_2	D_3				
8	98.1	82.96	16						
9	108.0	92.84	16						
10	117.9	102.74	16						
11	127.8	112.68	16						
12	137.8	122.68	20						
13	147.8	132.65	20						
14	157.8	142.68	20						
15	167.9	152.72	20						
16	177.9	162.75	25						
17	187.9	172.78	25						
18	198.0	182.85	25						
19	208.1	192.91	25						
20	218.1	202.98	25	25					
21	228.2	213.04	25						
22	238.3	223.11	25						
23	248.3	233.17	25						
24	258.4	243.23	25						
25	268.5	253.33	25	25					
26	278.6	263.40	25						
27	288.6	273.40	25						
28	298.7	283.56	25						
29	308.8	293.65	25						
30	318.9	303.75	25	25					
31	329.0	313.85	25						
32	339.1	323.91	25						
33	349.2	334.01	25						
34	359.3	344.10	25						
35	369.4	354.20	25						
36	379.5	364.30	25						
37	389.5	374.39	25						
38	399.6	384.49	25	30					
39	409.7	394.59	25						
40	419.8	404.68	25						
45	470.3	455.17	30	30					
57	591.5	576.36	30	30					

